




## Lighting Product Profile

**KOMAL LEOLITE PVT. LTD.**

ISO 9001:2015 CERTIFIED COMPANY



### Flat Panels - Quadra 2x2



Part No.	Watt	Dimensions			
		Length	Width	Depth	Cutout
LLFP 22 R CW 28	28W	595	595	70	570 x 570
LLFP 22 R CW 36	36W	595	595	70	570 x 570
LLFP 22 R CW 40	40W	595	595	70	570 x 570
LLFP 22 S CW 28	28W	595	595	70	-
LLFP 22 S CW 36	36W	595	595	70	-
LLFP 22 S CW 40	40W	595	595	70	-

### Flats Panels - Quadra 1x4




Part No.	Watt	Dimensions			
		Length	Width	Depth	Cutout
LLFP 14 R CW 28	28W	1195	295	75	1170 x 270
LLFP 14 R CW 36	36W	1195	295	75	1170 x 270
LLFP 14 R CW 40	40W	1195	295	75	1170 x 270
LLFP 14 S CW 28	28W	1195	295	75	-
LLFP 14 S CW 36	36W	1195	295	75	-
LLFP 14 S CW 40	40W	1195	295	75	-

### Flat Panels - Slim




Part No.	Watt	Dimensions		
		Length	Width	Depth
LLFP 22 R CW 36 SLIM	36W	595	595	15

### Linear Lights - Aero




Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LLLL P CW 24	24W	1210	85	55	Pendant
LLLL P CW 36	36W	1210	85	55	Pendant
LLLL S CW 24	24W	1210	85	55	Surface
LLLL S CW 36	36W	1210	85	55	Surface
LLLL R CW 24	24W	1225	100	55	Recess
LLLL R CW 36	36W	1225	100	55	Recess

### Linear Lights - Zonal



Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LLLL P CW 36 Z	36W	1195	150	50	Pendant
LLLL P CW 36 Z UD	12+24W	1195	150	50	Pendant

### Linear Lights - Up Down



Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LLLL P CW 36 UD	12+24W	1200	70	110	Pendant

## Edgelit Recess Panel Light - Sleek




Part No.	Watt	Dimensions			
		Length	Width	Depth	Cutout
LL ED R CW 08 R	08W	120Ø	-	20	Ø110
LL ED R CW 12 R	12W	150Ø	-	20	Ø135
LL ED R CW 15 R	15W	170Ø	-	20	Ø160
LL ED R CW 08 S	08W	120	120	20	110x110
LL ED R CW 12 S	12W	150	150	20	135x135
LL ED R CW 15 S	15W	170	170	20	160x160

## Edgelit Surface Panel Light - Sleek



Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LL ED S CW 08 R	08W	125Ø	-	45	Surface
LL ED S CW 12 R	12W	155Ø	-	45	Surface
LL ED S CW 15 R	15W	175Ø	-	45	Surface
LL ED S CW 08 S	08W	125	125	45	Surface
LL ED S CW 12 S	12W	155	155	45	Surface
LL ED S CW 15 S	15W	175	175	45	Surface

## Backlit Recess Panel Light - Enduro



Part No.	Watt	Dimensions			
		Length	Width	Depth	Cutout
LL BD R CW 15 R	15W	145Ø	-	38	Ø125
LL BD R CW 20 R	20W	170Ø	-	38	Ø150
LL BD R CW 24 R	24W	195Ø	-	38	Ø175
LL BD R CW 15 S	15W	145	145	38	125x125
LL BD R CW 20 S	20W	170	170	38	150x150
LL BD R CW 24 S	24W	195	195	38	175x175

## Backlit Surface Panel Light - Enduro



Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LL BD S CW 15 R	15W	150Ø	-	75	Surface
LL BD S CW 20 R	20W	175Ø	-	75	Surface
LL BD S CW 24 R	24W	200Ø	-	75	Surface
LL BD S CW 15 S	15W	150	150	75	Surface
LL BD S CW 20 S	20W	175	175	75	Surface
LL BD S CW 24 S	24W	200	200	75	Surface

## COB Tiltable Downlight - Whirl



Part No.	Watt	Dimensions		
		Dia	Depth	Cutout
LL CD R CW 06 W	06W	90Ø	75	75Ø
LL CD R CW 12 W	12W	90Ø	75	75Ø
LL CD R CW 15 W	15W	110Ø	95	90Ø
LL CD R CW 18 W	18W	110Ø	95	90Ø

## COB Downlight - Zoom



Part No.	Watt	Dimensions		
		Dia	Depth	Cutout
LL CD R CW 24 Z	24W	170Ø	140	160Ø
LL CD R CW 30 Z	30W	170Ø	140	160Ø

### Track Lights - Solace



Part No.	Watt	Dimensions		Mounting
		Dia	Length	
LLTL T CW 10 V	10W	110	115	Track
LLTL T CW 20 V	20W	110	115	Track
LLTL T CW 30 V	30W	110	115	Track
LLTL T CW 10 H	15W	110	115	Track
LLTL T CW 20 H	15W	110	115	Track
LLTL T CW 30 H	15W	110	115	Track

### Bulkhead - Plato



Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LL BH S CW 10	10W	245	125	70	Surface
LL BH S CW 15	15W	245	125	70	Surface

### Industrial Weatherproof Light (PC-PC) Reliance Sleek



Part No.	Watt	Dimensions		
		Length	Width	Height
LLPC S CW 18 S	18W	580	75	65
LLPC S CW 36 S	36W	1140	75	65
LLPC S CW 36 S BB	36W	1140	75	65

### Industrial Weatherproof Light (PC-PC) Reliance Retro




Part No.	Watt	Dimensions		
		Length	Width	Height
LLPC S CW 110 R	10W	650	75	65
LLPC S CW 210 R	20W	650	110	65
LLPC S CW 120 R	20W	1290	90	90
LLPC S CW 220 R	40W	1290	125	90

### Wellglass - Vega



Part No.	Watt	Dimensions		Mounting
		Dia	Height	
LLWG S 30 CW	30W	160	270	Eyebolt
LLWG S 36 CW	36W	160	270	Eyebolt
LLWG S 40 CW	40W	160	270	Eyebolt
LLWG S 45 CW	45W	160	270	Eyebolt
LLWG S 70 CW	70W	230	175	Eyebolt

### Canopy - Petra



Part No.	Watt	Dimensions			Mounting
		Length	Width	Depth	
LL CP R CW 60	60W	595	595	60	Eyebolt
LL CP R CW 80	80W	595	595	60	Eyebolt
LL CP R CW 100	100W	595	595	60	Eyebolt

# Highbay Lights

## Industrial Highbay - Halobay



Available with or without Reflector



Part No.	Watt	Dimensions			Mounting
		Dia	Height		
LLHB S CW 50 H	50W	190	115		Eyebolt
LLHB S CW 80 H	80W	230	115		Eyebolt
LLHB S CW 90 H	90W	230	115		Eyebolt
LLHB S CW 100 H	100W	325	135		Eyebolt
LLHB S CW 120 H	120W	325	135		Eyebolt
LLHB S CW 150 H	150W	325	135		Eyebolt
LLHB S CW 200 H	200W	400	135		Eyebolt
LLHB S CW 240 H	240W	400	135		Eyebolt

## Industrial Highbay - Quadrabay



Part No.	Watt	Dimensions			Mounting
		Length	Width	Height	
LLHB S CW 90 Q	90W	280	310	90	Eyebolt
LLHB S CW 100 Q	100W	280	310	90	Eyebolt
LLHB S CW 120 Q	120W	280	310	90	Eyebolt
LLHB S CW 150 Q	150W	380	310	90	Eyebolt
LLHB S CW 200 Q	200W	430	310	90	Eyebolt
LLHB S CW 240 Q	240W	480	310	90	Eyebolt
LLHB S CW 300 Q	300W	530	310	90	Eyebolt

## Industrial Highbay - Lineabay



Available in Milky and Transparent Diffuser



Part No.	Watt	Dimensions			Mounting
		Length	Width	Height	
LLHB S CW 50 L M	50W	515	100	90	Bracket
LLHB S CW 50 L C	50W	515	100	90	Bracket
LLHB S CW 100 L M	100W	1015	100	90	Bracket
LLHB S CW 100 L C	100W	1015	100	90	Bracket
LLHB S CW 150 L M	150W	1015	200	90	Bracket
LLHB S CW 150 L C	150W	1015	200	90	Bracket

Products also available in 4000K (NW) & 3000K (WW)

### Streetlight - Eco



Part No.	Watt	Dimensions		
		Length	Width	Pipe Dia
LLSL CW 15 E	15W	285	95	40Ø
LLSL CW 20 E	20W	335	105	45Ø
LLSL CW 25 E	25W	335	105	45Ø
LLSL CW 30 E	30W	335	105	45Ø
LLSL CW 36 E	36W	385	150	50Ø
LLSL CW 45 E	45W	385	150	50Ø

### Streetlight - Optima



Part No.	Watt	Dimensions		
		Length	Width	Pipe Dia
LLSL CW 45 O	45W	400	140	60Ø
LLSL CW 50 O	50W	400	140	60Ø
LLSL CW 60 O	60W	400	140	60Ø
LLSL CW 72 O	72W	400	140	60Ø
LLSL CW 90 O	90W	400	140	60Ø
LLSL CW 100 O	100W	455	165	60Ø
LLSL CW 120 O	120W	455	165	60Ø

### Streetlight - Super



Part No.	Watt	Dimensions		
		Length	Width	Pipe Dia
LLSL CW 20 S	20W	305	120	40Ø
LLSL CW 24 S	24W	305	120	40Ø
LLSL CW 30 S	30W	360	130	40Ø
LLSL CW 36 S	36W	360	130	40Ø
LLSL CW 45 S	45W	410	160	40Ø
LLSL CW 50 S	50W	410	160	40Ø

# Flood Lights

## Flood Light - Lumos



Part No.	Watt	Dimensions			Mounting
		Length	Width	Height	
LLFL CW 30 L	30W	230	220	50	Bracket
LLFL CW 50 L	50W	230	220	50	Bracket
LLFL CW 70 L	70W	285	270	60	Bracket

## Flood Lights - Duro



Part No.	Watt	Dimensions			Mounting
		Length	Width	Height	
LLFL CW 80 D	80W	245	305	120	Bracket
LLFL CW 90 D	90W	245	305	120	Bracket
LLFL CW 100 D	100W	245	305	120	Bracket
LLFL CW 120 D	120W	260	340	130	Bracket
LLFL CW 150 D	150W	260	340	130	Bracket
LLFL CW 200 D	200W	315	385	130	Bracket
LLFL CW 250 D	250W	500	340	135	Bracket
LLFL CW 300 D	300W	600	400	150	Bracket
LLFL CW 350 D	350W	600	400	150	Bracket
LLFL CW 400 D	400W	600	400	150	Bracket

## Flood Lights - Regalia



Part No.	Watt	Dimensions			Mounting
		Length	Width	Height	
LLHB S CW 90 Q	90W	280	310	90	Bracket
LLHB S CW 100 Q	100W	280	310	90	Bracket
LLHB S CW 120 Q	120W	280	310	90	Bracket
LLHB S CW 150 Q	150W	380	310	90	Bracket
LLHB S CW 200 Q	200W	430	310	90	Bracket
LLHB S CW 240 Q	240W	480	310	90	Bracket
LLHB S CW 300 Q	300W	530	310	90	Bracket
LLHB S CW 350 Q	350W	580	310	90	Bracket
LLHB S CW 400 Q	400W	630	310	90	Bracket
LLHB S CW 500 Q	500W	630	310	90	Bracket

Architectural Lighting - Decorative Pole Column & Savvy



Column



Savvy

Part No.	Watt	Dimensions		
		Height	Dia	Mounting
LLDP CW 70 C	70W	3660	166	Base
LLDP CW 70 S	40W	3660	166	Base

Bollards - Slick & Metro



Slick



Metro

Part No.	Watt	Dimensions			
		Height	Dia	Base Dia	Mounting
LLBL CW 10 S	10W	670	70	100	Base
LLBL CW 15 S	15W	670	70	100	Base
LLBL CW 10 M	10W	600	155	95	Base
LLBL CW 15 M	15W	600	155	95	Base

Post Top - Uno & Crescent



Uno



Crescent

Part No.	Watt	Dimensions		
		Height	Dia	Pipe Dia
LLPT CW 35 U	35W	400	330	75
LLPT CW 40 U	40W	400	330	75
LLPT CW 45 U	45W	400	330	75
LLPT CW 35 C	35W	425	410	75
LLPT CW 45 C	45W	425	410	75
LLPT CW 60 C	60W	425	410	75